

WOOD FLOORING

2012/2013 COLLECTION

THE PANAGET WAY



PANAGET

Manufacture française de parquet
depuis 1929



PANAGET's factory was established in 1929 in Bougarré, in the French region of Brittany, where it stands to this very day. Over the years, we have remained true to our roots, and have incorporated our traditional production methods and craftsmanship into our modern-day manufacturing processes. We continue to work with wood and wood alone, preferably oak.

In line with our commitment to using natural wood sources, the oak that we use is 100% French oak, which is guaranteed to be healthy and natural, with all the values and virtues of the country's ancient forests.

The origins of parquet flooring can be traced back to the Middle Ages. This type of flooring reminds us of our family history and the houses that our parents and grandparents used to live in, and acts as a reminder of what it feels like to be young. In the past, parquet was often associated with the smell of polish. Apart from that smell, our parquet flooring retains all the benefits of the past, and is now available in a wide choice of colours and options, with a range of varnishes that will practically never wear out, making it so much easier to maintain.

Our local roots and fiercely loyal workforce enable us to be proud of what we produce in Brittany: parquet flooring for people all over the world.



CONTENTS

Eco-responsible, naturally	p. 4 & 5
TWO-STRIP Orféo, width 139 mm	p. 07 p. 7 to 16
SINGLE-PLANK Traviata, width 90 mm Alto, width 139 mm Otello, width 139 mm Diva, width 184 mm	p. 17 p. 18 to 21 p. 22 to 25 p. 26 to 39 p. 40 to 44
INTRICATE DESIGNS Carmen Traviata herringbone Bohème	p. 45 p. 46 & 47 p. 48 & 49 p. 50
SOLIDS Sonate Octavo Ulysse	p. 51 p. 52 to 55 p. 56 p. 58 & 59
Understanding parquet flooring Choosing your parquet flooring Caring for your parquet flooring Online	p. 60 & 61 p. 62 to 65 p. 66 p. 67

ENGINEERED

SOLIDS

ADVICE

Diva French Oak zenitude celado

SYMBOLS

2BeClic : Glue-free floating wood flooring	Floating glued system wood flooring	Full stick down wood flooring	Nailed wood flooring
Engineered two-strip	Engineered single-plank	Solid	
Compatible with underfloor heating systems	Compatible with underfloor heating/cooling systems	Matt varnished	Satin varnished
		Oiled	

CERTIFICATION



* Can be downloaded from www.panaget.com

CHOOSE **PANAGET**
AND YOU'RE CHOOSING ...

ECO-RESPONSIBLE, NATURALLY



QUALITY

Quality parquet flooring made from real wood, ISO 9001 certified (2008 version) from PANAGET

SAFETY

Our products comply with European standards, our varnishes contain no volatile organic compounds (VOCs) and our oils are 100% solvent-free. We are completely transparent about the origin of the materials used in our parquet, and about our manufacturing processes (REACH).



SUSTAINABILITY

Products are made from wood taken from forests that are replanted after harvesting (PEFC-certified) and sawdust is recycled to generate energy for our factories.

RESPECT

We carry out regular audits to prevent occupational risk and improve working conditions on our production lines.



COMPETITIVENESS


Our parquet flooring is attractively priced, while meeting all quality, health and environmental standards.



PROXIMITY

Our parquet flooring is made from 100% French Oak that is machined at our factories in Brittany, which limits the need for transport and reduces our environmental footprint.





READY TO LAY

BY PANAGET



PANAGET

Manufacture française de parquet depuis 1929



Now you can look forward to starting every day on the right foot. What could be better than waking up to feel a warm wood floor under your feet? Ideal for bedrooms and offices, PANAGET's two-strip flooring has all the appeal of parquet flooring as it used to be. It is made up of two rows of strips, the length of which varies between 15 and 50 cm, assembled and glued together to form a single plank.

TWO-STRIP



“

Marie-Paule CADET presents **Orféo French Oak classic satin.**

Orféo is one of PANAGET's oldest products. We began manufacturing it over 30 years ago. Its excellent value for money, coupled with our Clic system, make it a key part of the PANAGET range.

With its two strips, Orféo produces a highly aesthetic finish and has a similar look to parquet flooring from times gone by. Orféo suits all interior furnishing styles.

Marie-Paule CADET

Team leader

Orféo

139



GUARANTEE
30
YEARS



- Engineered two-strip hardwood flooring, varnished or oiled.
- Width: 2 x 69.5 mm = 139 mm.
- Length: 1,500 mm.
- Ecostrong varnish.
- 100% solvent-free factory oil.
- PEFC-certified (14-mm version only).



In 11 mm, see exceptions p. 60



French Oak prima satin 11 and 14 mm



French Oak classic satin 11 and 14 mm



Orféo 139



French Oak classic driftwood 11 and 14 mm



French Oak prima linen 11 mm



French Oak tradition copper 11 and 14 mm



French Oak tradition grey oil 11 and 14 mm



French Oak tradition saphir 11 and 14 mm



Orféo 139

Also available as:

- French Oak classic topaze 11 mm,
- French Oak tradition stained 14 mm,
- French Oak tradition natural oil 11 mm.

See chart on pages 62 and 63 or the overview in the "Collection" section on panaget.com



French Oak tradition satin 11 and 14 mm

For this solid-looking floor, PANAGET has taken advantage of everything French Oak has to offer. The wood is irregular-looking, because it is genuine and natural.

Salvagio

Orféo 139



French Oak salvagio natural oil 14 mm



French Oak salvagio white oil 14 mm

Salvagio reflects everything that's so special about wood ... cracks, discolouration, veins and texture reinforce the vintage appeal of natural, beautiful-looking wooden flooring.



French Oak salvagio antique wax oil 14 mm



French Oak salvagio grey oil 14 mm



US Walnut 14 mm



Beech classic 11 and 14 mm

Also available as:

- Beech tradition 14 mm,
- Jatoba 11 and 14 mm,
- Chestnut 14 mm.

See chart on pages 62 and 63 or the overview in the "Collection" section on panaget.com



Canadian Maple 14 mm



Doussie 11 and 14 mm



Ash 14 mm



Orféo 139



RENDEZ-VOUS WITH STYLE



Manufacture française de parquet
depuis 1929



No matter which room they are found in – from the hallway to the dining room – PANAGET parquet flooring enables you to create an atmosphere that's full of character and welcoming, and one that matches your tastes and the size of the room. Among the dozens of options to choose from, we recommend 90-mm widths for your smaller rooms, or widths of up to 184 mm for your larger ones, if you're aiming for a more daring look. Chamfered and with a single wood top layer, PANAGET's single-plank floors add depth to the room and give the whole house a nice feel.

SINGLE-PLANK



“

He may be tall (1.94 metres), but even Thierry LEGRAND can't match the two-metre length of our bestselling flooring.

With the development of this single-plank range, PANAGET has introduced multiple-length planks, including two-metre-long strips, which can be laid in staggered rows.

Thierry LEGRAND
Head of Sales, France

Traviata 90



GUARANTEE
30
YEARS



- Engineered single-strip hardwood flooring, varnished, 4 chamfers or square-edged.
- Width: 90 mm.
- Lengths: from 390 to 1,190 mm.
- Ecostrong varnish.



12 mm

15 mm

In 12 mm, see exceptions p. 60




French Oak nature topaze 12 and 15 mm



Doussie 12 and 15 mm



Iroko 15 mm



Beech classic 15 mm

Traviata 90



French Oak authentic linen 12 mm



Canadian Maple 12 mm


Also available as :

- French Oak prima satin square-edged 15 mm,
- French Oak nature opale 12 and 15 mm,
- French Oak nature satin 12 and 15 mm,
- French Oak authentic saphir 15 mm,
- French Oak authentic topaze 12 and 15 mm,
- Jatoba 12 and 15 mm.

See chart on pages 62 and 63 or the overview in the "Collection" section on panaget.com.



French Oak zenitude linen 12 mm



French Oak zenitude celado 12 mm



French Oak zenitude salina 12 mm

Simple yet bold, zenitude parquet flooring shows off all the different characteristics of French Oak in their full glory. This contemporary parquet flooring is a delight to look at.



French Oak zenitude habano 12 mm



Alto

139



GUARANTEE
30
YEARS




- Engineered dual & single-stave hardwood flooring, varnished, 2 chamfers.
- Width: 139 mm.
- Length: 1,200 mm plank composed of top layers of 400, 600, 800 and 1,200 mm.
- Ecostrong varnish.



See exceptions
p. 60



French Oak tradition topaze 12 mm



Alto 139

French Oak tradition satin 12 mm



French Oak tradition linen 12 mm



French Oak tradition celado 12 mm



French Oak tradition driftwood 12 mm

Alto 139



French Oak tradition perline 12 mm



French Oak tradition topia 12 mm

Alto 139

Also available as:
 • French Oak tradition prunia

See chart on pages 62 and 63 or
 the overview in the "Collection"
 section on panaget.com

Otello

139



- Engineered single-plank hardwood flooring, varnished or oiled, 4 chamfers or square-edged.
- Width: 139 mm.
- Lengths: from 400 to 2,000 mm.
- Ecostrong varnish.
- 100% solvent-free factory oil.



French Oak classic platine 12 and 15 mm



French Oak classic topaze 12, 14 and 15 mm



French Oak classic satin 12, 14 and 15 mm



French Oak nature opale 12 and 14 mm



French Oak authentic saphir 12, 14 and 15 mm



French Oak nature nacre 12 and 15 mm



French Oak authentic topaze 12, 14 and 15 mm



French Oak nature granit 12 and 15 mm



French Oak authentic linen 12, 14 and 15 mm

Otello 139

Also available as:

- French Oak prima satin, square-edged 15 mm,
- French Oak classic opale 15 mm,
- French Oak classic saphir 15 mm,
- French Oak driftwood 15 mm,
- French Oak classic perline 15 mm,
- French Oak classic topaze 12 and 14 mm,
- French Oak classic topia 15 mm.

See chart on pages 62 and 63 or the overview in the "Collection" section on panaget.com



With its 139 mm-wide planks, varnished Otello zenitude creates impeccable, pure and impressive lines. The wonderfully proportioned planks are available in a range of contemporary finishes, giving this traditional wood an up-to-date look.

Also available as:

- French Oak zenitude linen 12 and 15 mm,
- French Oak zenitude salina 12 and 15 mm.

See chart on pages 62 and 63 or the overview in the "Collection" section on panaget.com





French Oak zenitude white oil 15 mm



French Oak zenitude antique wax oil 15 mm

This finish for oiled Otello zenitude goes perfectly with French Oak: the natural oil adds a touch of colour to the wood's natural character.

Otello 139

Zenitude
OILED



French Oak zenitude grey oil 15 mm



French Oak zenitude natural oil 15 mm



French Oak salvagio natural oil 15 mm



French Oak salvagio antique wax oil 15 mm



French Oak salvagio grey oil 15 mm



French Oak salvagio white oil 15 mm

Otello salvagio: exceptional parquet flooring for people who want to express their creativity. The sawing and tannin marks visible on every plank add value and demonstrate that it is genuine oak.

Otello 139

Salvagio



SAY NO

TO THE USE OF
PRECIOUS TIMBER

SEDUCTIO


by PANAGET

**Naturally coloured oak through
and through (thermo-treated)**

Thermo-treating French oak is much better for
the environment than using exotic woods.

PANAGET

Manufacture française de parquet
depuis 1929




SINGLE-PLANK

Otello 139

French Oak seductio opale 15 mm

PANAGET



US Walnut 12 and 15 mm



Jatoba 12 and 15 mm



Beech classic 15 mm



Ash 15 mm



Natural Bamboo 15 mm



Cherry 15 mm

Otello 139

- Also available as:
- Caramel Bamboo 15 mm,
 - Doussie 12 and 15 mm,
 - Canadian Maple 12 and 15 mm,
 - Iroko 15 mm.
- See chart on pages 62 and 63 or the overview in the "Collection" section on panaget.com



Diva

184



GUARANTEE
30
YEARS



- Engineered wide plank hardwood flooring, varnished or oiled, 4 chamfers.
- Width: 184 mm (extra-wide).
- Lengths: from 400 to 2,000 mm.
- Ecostrong varnish.
- 100% solvent-free factory oil.



French Oak nature driftwood 15 mm



French Oak nature satin 15 mm



French Oak authentic topaze 15 mm

Also available as:

- French Oak nature topaze 15 mm,
- French Oak authentic saphir 15 mm.

See chart on pages 62 and 63 or the overview in the "Collection" section on panaget.com



Larch authentic topaze 15 mm



Diva 184



French Oak zenitude linen 15 mm



French Oak zenitude habano 15 mm

Diva 184



French Oak zenitude prunia 15 mm



French Oak zenitude celado 15 mm



French Oak zenitude salina 15 mm

- Also available as:
- French Oak zenitude driftwood 15 mm,
 - French Oak zenitude perline 15 mm,
 - French Oak zenitude topia 15 mm.

See chart on pages 62 and 63 or the overview in the "Collection" section on panaget.com

Nowadays, bigger is better! With its extra-wide strips and colour tones, varnished Diva zenitude reflects the spirit of the times in which we live. This highly contemporary flooring is ideal for people who like to keep up with the latest trends in interior decoration.

Zenitude
VARNISHED



French Oak zenitude natural oil 15 mm



French Oak zenitude white oil 15 mm



French Oak zenitude antique wax oil 15 mm



Modern interior design has led to a rethink of traditional parquet flooring. When classic and contemporary styles come together, the result can be a surprising effect that looks great. From inlaid to herringbone and Hungarian point pattern, our intricate designs incorporate all of PANAGET's flooring expertise. These unique parquets will give your interior a distinct character.

INTRICATE DESIGNS

Diva 184

Zenitude
OILED

PANAGET flooring reflects the latest trends just as much as the fashion world. And as far as flooring is concerned, French Oak is bang on trend nowadays. This hard-wearing wood is shown off to best effect when laid in extra-wide planks and gently brushed. Here's a selection of the oiled finishes available in the Diva zenitude range.



French Oak zenitude grey oil 15 mm

“

Marie-Madeleine MARCHAND (who's been working at PANAGET for 23 years) sorts the planks for salvagio – a painstaking process, but one that makes this range so special.

Marie-Madeleine MARCHAND is an expert in sorting and selecting top-layer strips. At PANAGET, such a delicate task could never be entrusted to a machine. Manual sorting enables us to guarantee our customers that they'll get what they were expecting. It's how we ensure the high quality of our flooring.

We also select our inlays (Carmen), herringbone (Traviata) and Hungarian point flooring (Bohème) in exactly the same way.


Marie-Madeleine MARCHAND
Sorting controller



Carmen



- Hand-made marquetry panels.
- Dimensions: 392 x 392 mm.
- Exotic insets in panels no. 1 & 7.
- Ecostrong varnish.



Traviata

Herringbone



- Engineered single-strip hardwood flooring, varnished, 4 chamfers.
- Herringbone-style effect.
- Width: 90 mm.
- Length: 590 mm.
- Ecostrong varnish.
- Packs delivered in batches of two, marked G (left) and D (right).



Traviata
herringbone

Bohême



- Engineered single-strip hardwood flooring, varnished, 4 chamfers.
- Chevron effect.
- Width: 90 mm.
- Length: 500 mm.
- Ecostrong varnish.
- Packs delivered in batches of two, marked G (left) and D (right).



French Oak nature linen 15 mm

Also available as:

- French Oak classic topaze 15 mm.

See chart on pages 62 and 63 or the overview in the "Collection" section on panaget.com



French Oak classic satin 15 mm, fern pattern



PANAGET offers a complete range of this ever-popular flooring. Solid wood gives your interior a sense of order and warmth. This traditional type of parquet can be adapted to suit all the rooms in your home (including the bathroom), and is available in a wide choice of finishes and colours. If you love wood, read on!

SOLIDS

“

Chantal BART (who's worked in quality control at PANAGET for the last 12 years) checks the size of the planks used for the Sonate range.

PANAGET solids is continually checked for its level of humidity, dimensions and conformity with our requirements. The oils and varnishes used are also constantly monitored.

All of this means that PANAGET can offer the same guarantees on its solid wood range as it does on its engineered flooring. After all, it's quality that counts.

Chantal BART
Quality controller



Sonate



GUARANTEE
30
YEARS



- Solid single-strip hardwood flooring, varnished or oiled, 4 chamfers.
- Thickness: 14 mm.
- Width: 70, 90 or 140 mm.
- Lengths: from 400 to 1,300 mm.
- Ecostrong varnish.
- 100% solvent-free factory oil.



French Oak prima topaze 70, 90 and 140 mm



French Oak authentic saphir 140 mm



French Oak authentic natural oil 90 or 140 mm

Sonate

- Also available as:
- French Oak authentic unlacquered 140 mm,
 - French Oak authentic topaze 90 and 140 mm,
 - Steamed robinia natural oil 90 mm (thickness 12 mm).

See chart on pages 62 and 63 or the overview in the "Collection" section on panaget.com



French Oak zenitude salina 90 or 140 mm



French Oak zenitude grey oil 140 mm



French Oak zenitude driftwood 90 or 140 mm


With Sonate zenitude, you get what you see: a genuinely solid wood floor. Fine materials combine with bold colours to create a subtly beautiful effect.

Also available as:
• French Oak zenitude habano 90 and 140 mm.


See chart on pages 62 and 63 or the overview in the "Collection" section on panaget.com



French Oak zenitude linen 90 or 140 mm



French Oak zenitude white oil 140 mm



French Oak zenitude celado 90 or 140 mm

Octavo



GUARANTEE
30
YEARS



- Solid single-strip hardwood flooring, varnished or oiled, 4 chamfers.
- Width: 140 mm.
- Lengths: from 400 to 1,300 mm.
- Ecostrong varnish.
- 100% solvent-free factory oil.



French Oak authentic topaze 21 mm

Also available as:

- French Oak prima topaze 21 mm,
- French Oak authentic natural oil 21 mm,
- French Oak authentic satin 21 mm,
- French Oak zenitude celado 21 mm,
- French Oak zenitude linen 21 mm,
- French Oak zenitude salina 21 mm.

See chart on pages 62 and 63 or the overview in the "Collection" section on panaget.com



French Oak zenitude habano 21 mm

Octavo

PANAGET

COLOURS OF MY LIFE



PANAGET

Manufacture française de parquet depuis 1929

Ulysse





- Traditional solid-wood parquet, tongue & groove.
- Boat-deck design especially for bathrooms.
- Width: 90 mm.
- Lengths: from 300 to 1,300 mm.



Robinier
by PANAGET

Steamed Robinia natural oil 12 mm



Pre-oiled Indonesian Teak 12 mm

UNDERSTANDING PARQUET FLOORING

The term "parquet" applies to any floor covering where the upper layer of the plank, made of wood, is at least 2.5 mm thick. This very precise definition excludes laminate flooring, the look of which is just an illusion created by a photo covered with a plastic film. The term "laminated parquet", therefore, is a misuse of language.

According to PANAGET, quality parquet contains no top layers which lengths measure less than the width of a strip, ensuring the flooring to look good and feels great.

GLOSSARY

Brushed: finish which involves removing the top of the visible surface of the strip to bring out its structure

Chamfer: bevelled cut (generally at 45°) at the edge of a strip of wood

Ecostrong varnish: ultra-resistant finish containing corindon (an exceptionally hard mineral substance)

Finger-jointed: term used to describe parquet flooring where strips are laid end-to-end

Floor batten: piece of wood that supports parquet flooring

Sapwood: lighter, outer areas of a strip (young part of the wood)

Steamed: term used to describe parquet that has been submitted to a climatic cycle in hot air (improves colour)

Thermo-treatment: process that gives the wood an exotic look by heat-dyeing it

Tongue & groove: Assembly system where the hollowed section (groove) on the side of one parquet strip fits together with the tongue of the strip next to it

Top layer: The real-wood decorative section of engineered parquet

UNDERFLOOR HEATING

Parquet for your underfloor heating and underfloor heating/cooling system:

As underfloor heating and underfloor heating/cooling systems are becoming increasingly popular in modern and renovated homes, Panaget has developed a number of products suitable for the technology.

Special symbols highlight which parquets can be fitted above these systems, providing you follow the recommendations on gluing, laying, heating specifications and hygrometric conditions that are found on the packaging of your flooring. With the exception of the 140-millimetre version of Sonate and the entire Octavo range, all Panaget parquet floors are compatible with low-temperature underfloor heating. This incredibly wide variety means that you can choose a floor that is available with your preferred finish. All the floorings that are compatible with low-temperature underfloor heating are also suitable for using above underfloor heating and cooling systems, with the exception of 14 and 15-millimetre-thick parquets and all floors made of jatoba, beech and maple. Please check the symbols when making your choice. Note that our recommendations must be followed – along with the fitting and maintenance guidelines – for the 30-year Panaget guarantee to be valid.



Compatible with underfloor heating systems

Compatible with underfloor heating/cooling systems



Parquet MADE IN FRANCE

Manufactured solely in France

PANAGET's two production sites are located in Bougbarré and Redon, in the French region of Brittany, and the entire manufacturing process, from machining to applying the finishes, is performed there. No product only partly made in France can be awarded the Parquets de France (100% made in France) label, and manufacturers that display the label are verified by an independent auditing company.

French wood favoured

To meet the conditions of displaying the Parquets de France label, PANAGET must source certain quantities of its wood from France and Europe (for species that are available locally): 90% of the wood used for our solid-wood parquet must be French and 100% of the wood components used for our engineered parquet must be French or European. All of PANAGET's supplies are French Oak approved.

Wood sourced exclusively from certified forests


All of PANAGET's wood comes from sustainably managed forests (certified by either PEFC or a similar recognized body) – and that applies to both wood sourced within France and species not available nationally.

Identifiable and traceable

In order to display the Parquets de France label, companies have to ensure full traceability of all the components that make up their parquet flooring. PANAGET fulfils the criteria defined by the PEFC (among others) for sustainable forest management.

An approach to quality that goes beyond regulatory requirements

Parquets de France wooden flooring is high-quality in many ways: you are guaranteed to get a reliable after-sales service, and the flooring contains VOC emissions below the maximum levels permitted. The PANAGET Customer Service department deals with any complaints directly to ensure a swift and comprehensive response.



CHOOSING YOUR PARQUET FLOORING

Natural, real wooden flooring brings charm to any room – just one of the many reasons why it is so popular. Decided to install parquet flooring in your home? Then let us give you some tips on choosing the one that's right for you.

Which species or wood colour comes closest to what I am looking for?
Different species of wood, European and exotic, offer different technical and aesthetic qualities.

Which type of wood is best for me?
Whether you prefer the traditional charm of knotty wood or a more refined style, PANAGET offers parquet flooring to suit every taste.

What type of plank should I go for?
From solid wood to engineered, and two-strip or single-plank – there's flooring to suit all tastes and budgets.

Which finish is best for me?
It's hard to choose between varnish and oil finishes. We recommend that you go for the one you like the look of best, since you'll be living with it for the rest of your life.





How do I lay the flooring?
Depending on the type of parquet you choose, you can nail it down or glue it – or you can even go for a floating floor.

Which pattern should I go for?
The most popular one at the moment is staggered rows, but more decorative patterns also make a good choice.

Whether you choose a light or dark wood, the tone colour of your new parquet flooring will develop over time as a result of exposure to UV light. You can see this natural oxidation by moving a rug or piece of furniture covering the floor a few weeks after it has been laid. This lighter area will take on the same tone as the rest of the parquet within a few weeks.









SPECIES

 Jatoba	 Cherry satin	 US Walnut
 Iroko	 Canadian Maple	 Indonesian Teak
 Robinia	 Doussie	 Bamboo Available in caramel or natural
 Beech	 Larch	 French Oak (see shades opposite)
 Chestnut	 Ash	

COLOUR

The French Oak we mainly use for our parquet flooring comes in a wide range of shades. See the table below and choose a colour that suits your tastes.

 Driftwood	 Satin or matt	 Opale	 Topaze	 Natural oil
Definition: Varnished driftwood aspect brushed matt Available as: Orféo, Alto, Otello, Otello zenitude, Diva zenitude, Sonate zenitude	Definition: Varnished satin or matt Available as: Orféo, Traviata, Alto, Otello, Diva, Carmen, Traviata herringbone, Bohême, Octavo	Definition: Varnished brushed satin Available as: Traviata, Otello	Definition: Varnished brushed matt Available as: Orféo, Traviata, Alto, Otello, Diva, Bohême, Sonate, Octavo	Definition: Natural brushed matt oiled Available as: Orféo, Orféo salvagio, Otello salvagio, Otello zenitude, Diva zenitude, Sonate, Ulysse, Octavo
 Stained	 Saphir	 Platine	 White oil	 Linen
Definition: Golden tone Available as: Orféo	Definition: Varnished white brushed matt Available as: Orféo, Traviata, Otello, Diva, Sonate	Definition: Varnished ceruse white brushed matt Available as: Traviata, Otello	Definition: White brushed matt oiled Available as: Orféo salvagio, Otello salvagio, Otello zenitude, Diva zenitude, Sonate zenitude	Definition: Varnished brushed with white aspect matt Available as: Orféo, Traviata, Traviata zenitude, Alto, Otello, Otello zenitude, Diva zenitude, Carmen, Traviata herringbone, Bohême, Sonate zenitude, Octavo zenitude
 Celado	 Perline	 Grey oil	 Topia	 Copper
Definition: Varnished celadon-tone brushed matt Available as: Traviata zenitude, Alto, Otello zenitude, Diva zenitude, Sonate zenitude, Octavo zenitude	Definition: Varnished blue-grey brushed matt Available as: Alto, Otello zenitude, Diva zenitude	Definition: Grey brushed matt oiled Available as: Orféo, Orféo salvagio, Otello zenitude, Otello salvagio, Diva zenitude, Sonate zenitude	Definition: Varnished mole-tone brushed matt Available as: Alto, Otello zenitude, Diva zenitude	Definition: Varnished copper-tone satin Available as: Orféo
 Habano	 Nacre	 Prunia	 Antique wax oil	 Seductio opale
Definition: Varnished havana-tone brushed matt Available as: Traviata zenitude, Otello zenitude, Diva zenitude, Traviata herringbone, Sonate zenitude, Octavo zenitude	Definition: Varnished brown brushed matt Available as: Otello	Definition: Varnished burgundy-tone brushed matt Available as: Alto, Otello zenitude, Diva zenitude	Definition: Antique wax brushed matt oiled Available as: Orféo salvagio, Otello zenitude, Otello salvagio, Diva zenitude	Definition: Varnished heat-dyed brushed satin Available as: Otello
 Salina	 Granit	Definition: Varnished black stained satin Available as: Otello		
Definition: Varnished bog-oak-tone brushed matt Available as: Traviata zenitude, Otello zenitude, Diva zenitude, Sonate zenitude, Octavo zenitude				

HOW OUR WOOD LOOKS

Wood has many individual characteristics, and so we have broken down our parquet flooring into different categories according to their look. The pictures below are designed to show you how our woods look in their pure state. Prior to processing, they will undergo a number of treatments (planing, sanding, brushing etc.) before the finish is applied.



Prima: even-coloured wood, flat cut allowed, small knots, no sapwood on top layer.



Classic: blight and dark wood, black knots, sapwood allowed on edge.



Nature: light and dark wood, black knots, discolouration and traces of sapwood.



Tradition: light and dark wood, black knots, filled knots, discolouration, black marks, cracks, sapwood.



Authentic: light and dark wood, black knots, filled knots, discolouration, black marks, cracks, traces of sapwood.




Zenitude: Light and dark wood, black knots, filled knots, opened knots, discolouration, cracks, sapwood. Grade with all characteristics and in any quantity.



Salvagio: light and dark wood, black knots, filled and/or opened knots, discolouration, tannin spots, cracks, sapwood. Grade with all characteristics and in any quantity. Structured top layer with local irregularities. Oil-finished at the factory.

OUR PLANKS

To decide whether to go for two-strip or single-plank flooring, you should consider the dimensions of your room and the overall effect you want to create. The width and length of the plank also play a key role in how the flooring will look in the room. The PANAGET range is available in various widths and lengths, shown in the diagram opposite.




OUR FINISHES

Our finishes all have one thing in common: they bring out the natural character of the wood. Varnished or oiled, they always look impeccable.



Varnished: our parquets are given between five and seven coats of Ecostrong varnish in our factory. Our high-quality state-of-the-art varnishes ensure effective protection against all parquet flooring's traditional enemies: abrasion, scratches, stains, etc. Our hardwearing varnish finish looks great, and is by far the most widely used and the easiest to maintain. It is available in satin and matt versions.



Oiled: PANAGET sells parquet flooring that is oiled in our factory. This finish brings out the beauty of the wood and protects it thoroughly. Some people also choose oiled parquet for its more natural look (100% solvent-free). This type of finish needs to be regularly maintained.

Whichever finish you choose, caring for your parquet floor is extremely simple: all you need to do is regularly dust it with a damp cloth to remove soiling. Oiled parquet calls for a little more care, for which reason we recommend treating it with coat of maintenance oil once or twice a month to ensure it keeps its shine. See our maintenance advice at www.panaget.com.

LAYING

Depending on the type of parquet you plan to purchase, various laying techniques are available. To make the right choice, you need to know where the flooring will be laid (in a modern or older building, in a block of flats or individual house, upstairs or downstairs etc.), the nature of the existing flooring, the type and condition of the base, the dimensions, the shape of the room and the lighting. Laying a PANAGET parquet floor is simple, however there are a number of rules to follow. That's why all our packs come with laying instructions. Follow these step by step to achieve the desired result.

There are four main laying techniques for PANAGET flooring:



Contemporary and easy to do, the floating fitting:

with glue (Otello, Diva, Carmen, Traviata herringbone, Bohême).

Only engineered strips are suitable for this type of laying, which involves gluing them to one another using a tongue & groove system.



with our click-together system (Orfeo, Alto, Traviata, Otello).

Easy and quick to lay, can be installed on thin carpets, vinyl floors and tiling. If you have an underfloor heating/cooling system, you must opt for a fully glued-down floor.



More modern and specific, fully glued-down (Sonate, Ulysse).

This method of laying is most suitable for more delicate assemblies and certain specific applications: for example in bathrooms or if you have underfloor heating (less than 28°C).



The most traditional: nailed-down (Otello).

The parquet is nailed to the floor battens. This must be done by an expert to guarantee its quality. This method raises the height of the floor by a minimum of 5 cm.

PLANK POSITIONING

Depending on the visual effect you are looking to create, there are various laying techniques available. Planks are most frequently positioned towards the light. The most common laying techniques are the following:



A Staggered rows ('Traditional-style')

Staggered row parquet is made up of equally wide strips with different lengths. The rows are parallel to each other. The strips in one row are not all the same length and the joints are staggered.

B French-style

French-style parquet flooring is made up of planks of different lengths and widths. The rows are laid parallel to one another and staggered.

C Herringbone

Herringbone parquet flooring involves the planks being laid at right angles to one another.

D Chevron

Also known as "Hungarian point parquet", this parquet flooring is characterized by butt-cut strips cut widthways at a 45° angle. It can be enhanced by fern pattern laying (see page 50).



LOVE YOUR PARQUET

It is essential to select the right accessories to ensure your parquet is properly laid and the room is finished off well.

This is why PANAGET offers a range of laying accessories, such as glues, underlays and fitting kits – remember to work out exactly what you need at the start of your project. We also supply finishing accessories to go with your parquet flooring, including doorsills, skirting boards, stairs nosing, and door stops. NB: skirting boards (vertical aspect) cannot emulate totally the 'look' of parquet flooring fitted on site (horizontal aspect).

Finally, we would like to point out that your parquet flooring will last longer if it is properly maintained. Ask for professional advice when choosing a cleaning product, such as a brightener, varnished wood floor cleaner, soap or oil, and make sure you follow the instructions on the packaging.

ASSESSORIES

Laying accessories



Get the job off to a good start with our laying accessories!

To do the job well, you need to have the right information and the right tools, and be well-prepared. To ensure that your parquet flooring is durable and stable, it needs to be laid under the right conditions. PANAGET can provide you with all the accessories you need to lay your wood flooring perfectly.

Finishing accessories



Show your parquet flooring in its full glory with our finishing accessories!


The accessories you choose can be almost as important as the type of parquet flooring you go for. The right finishing touches can really set off your parquet and make sure it fits in well with the tone of the room.

Maintenance products



Take care of your parquet flooring!

There's nothing difficult about maintaining a PANAGET parquet floor. All you have to do is take into account its finish (varnished or oiled) and the way it's used.



View a full selection of our accessories at:

www.panaget.com/en/accessoires/

www.panaget.com



AVAILABLE ONLINE:

- Find out everything you need to know about our parquet collection, and access technical sheets.
- Use our simulation tool to see how your parquet would fit into the colour scheme of your room.
- Take a look at our selection of accessories that will help you to lay and maintain your flooring.
- Sign up for our newsletter so you can keep up-to-date with the latest news and offers.
- Watch videos of our experts showing you how simple it is to perfectly lay your parquet.
- Read our FAQs.



DESIGNED WITH A FRENCH TOUCH



PANAGET

Made in France since 1929